


IFW



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant: Miller, MM Serial No. 10/775,691 Filed: 02/10/2004
Publication No: 2004/0161366A1 Pub. Date: 08/19/2004
Docket No. 104CIP Group Art Unit: 1743

Title: Devices, Tests, and Methods for the Analysis of Wine Samples

REQUEST FOR A CORRECTED PUBLICATION UNDER 37 CFR 1.221(b)

Mail Stop PGPUB
Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

September 13, 2004

Sir:

1. The above-cited Published Patent Application contains a plurality of material mistakes. Specifically the word 'calorimetric' erroneously appears 14 times instead of the word 'colorimetric'. This is a material mistake in that these words represent totally different types of analyses.

More specifically, 'calorimetric' is used erroneously in claim 1, line 3; claim 2, line 5, claim 3, line 5; claim 4, line 5, claim 7, line 1, claim 12, line 1; paragraph 002, line 2, paragraph 002, line 2; paragraph 005, line 1; paragraph 0013, line 3; paragraph 0026, line 3, paragraph 0034, line 2; paragraph 0045, line 2, and paragraph 0070, line 1.

Enclosed herewith is a copy of the published application with the errors marked in red pen.

2. As can be seen from the text submitted, these errors are the fault of the Patent Office and not Applicant. Applicant is within the required two-month time frame for correction. If there are any questions, applicant's representative can be contacted for clarification.


Respectfully submitted,

Lori M. Friedman
Reg. No. 35,143, Customer No. 21837

phone: (541) 929-4784
fax: (541) 929-4754

CERTIFICATE OF MAILING

I hereby certify that this correspondence, and attachments, if any, will be deposited with the United States Postal Service by First Class Mail, postage prepaid, in an envelope addressed to MS PGPUB, Commissioner for Patents, PO Box 1450, Alexandria, VA 22313-1450.



Lori M Friedman *Lori M Friedman* Registration Number 35,143
Date of Signature 9-13-04